


IN THE CLAIMS

1-9. (Cancelled)


10. (Currently Amended) A process for preparing a compound (C) or a salt thereof represented by the following formula:

[Chemical Formula 9]




wherein ~~R¹ and R² have the same definitions as above~~ R¹ represents hydrogen, C₁₋₆-alkyl or C₃₋₈ cycloalkyl, and wherein R² represents hydrogen or methoxy, characterized by said method comprising reacting a compound (A-1) represented by the following formula:

[Chemical Formula 7]



wherein R¹ has the same definition as above, with a compound (B) represented by the following formula:

[Chemical Formula 8]



wherein R^2 ~~represents hydrogen or methoxy~~ is defined as above, and L represents a leaving group.

11. (Currently Amended) A process according to claim 10, ~~characterized by using~~ wherein the reaction is performed in the presence of a base.

12. (Original) A process according to claim 11, wherein the base is an alkali metal carbonate or an alkali metal alkoxide.

13. (Original) A process according to claim 11, wherein the base is cesium carbonate, potassium carbonate or potassium t-butoxide.

14. (Previously Presented) A process according to claim 10, wherein R^1 is hydrogen, methyl, ethyl, n-propyl or cyclopropyl.

15. (Previously Presented) A process according to claim 10, wherein R^1 is cyclopropyl.

16. (Previously Presented) A process according to claim 10, wherein R^2 is hydrogen.

17. (Previously Presented) A process according to claim 10, wherein L is chlorine.
18. (New) A process according to claim 10, wherein the reaction is performed in dimethylsulfoxide in the presence of cesium carbonate or potassium t-butoxide.